

**Report Number :**

**BOMT17017277**



**NUMBER : BOMT17017277****DATE : 30-Mar-2017**

**APPLICANT : SWAYAM NIRYAT**  
A/803, SAMPRAT - 2, NR. KIRAN MOTORS, OPP.  
RAJPATH CLUB, S.G. HIGHWAY, BODAKDEV,,  
AHMEDABAD, GUJARAT, 380015, INDIA  
**ATTN : SANJAY TIWARI**

**Sample Description : ONE PIECE OF SUBMITTED WOVEN FABRIC SAMPLE.**  
**END USE: SHIRTING/MEN'S DRESS**

**Applicant Provided Care Instructions :**



Date Received/Date Test Started : 30 Mar 2017  
Date Confirmation Received : -  
Buyer Name : SASO  
Style No : OXFORD  
Order No : RAHIM/RAJAN  
Color : -  
Fiber Content : 60% COTTON, 40% POLYESTER  
Performance No. : SASO GSO 1829/2007  
SEASON : MARCH 2017  
Vendor Name : SWAYAM NIRYAT  
Buyer Name : SASO

---

**TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO ENCLOSED PAGE(S)**

---

AUTHORIZED BY  
FOR Intertek India Private Limited - [Mumbai]

SUNDARMURTHY KRISHNAN  
NATIONAL HEAD - PHYSICAL

NUMBER : BOMT17017277

DATE : 30-Mar-2017

## CONCLUSION :

FIBRE IDENTIFICATION/COMPOSITION	*
Colour Fastness to Washing	M
pH Value	M
LABELLING	*

---

NOTE : M = MEETS REQUIREMENT, F = FAILS TO MEET REQUIREMENT  
\* = REQUIREMENT NOT PROVIDED, NA = NOT APPLICABLE  
# = SEE REMARK, C = CONFIRM LABEL  
- = NOT PERFORMED

NUMBER : BOMT17017277  
DATE : 30-Mar-2017

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

# 1. FIBRE IDENTIFICATION/COMPOSITION

SASO 781: 1994

WARP	Polyester	<u>Marked</u>
WEFT	Cotton	
FIBRE COMPOSITION (ON FABRIC BASIS) :	Cotton : 62.0%	<u>Marked</u>
	Polyester : 38.0%	60% Cotton
		40% Polyester

## REMARK:

ISO: Annex IX of REGULATION (EU) No 1007/2011 repealing Directive 73/44/EEC and Directives 96/73/EC and 2008/121/EC

Cotton : 8.5%  
Polyester : 1.5%

# 2. Colour Fastness to Washing

AATCC 61  
(2A, MODIFIED 45 MIN MECHANICAL WASH AT 105°F, IN 0.15% AATCC WOB DETREAGENT SOLUTION WITH 50 STEEL BALLS.)

		<u>Requirement</u>
COLOUR CHANGE	4.0	4 (Min.)
COLOUR STAINING	4.0	4 (Min.)
	ACETATE	
	COTTON	
	NYLON	
	POLYESTER	
	ACRYLIC	
	WOOL	

# 3. pH Value

SASO 2144

	7.5	<u>Requirement</u>
		Direct contact with skin- 4.0 to 7.5

NUMBER : BOMT17017277  
DATE : 30-Mar-2017

### 4. LABELLING VISUAL

FIBER CONTENT

Present - Artwork

Requirement

Present -  
Artwork

WASHCARE LABEL


Present - Artwork

ARABIC WORDS OF CARE LABELING  
SIZE

Present - Artwork

COUNTRY OF ORIGIN

Present - Artwork



## END OF THE TEST REPORT ##

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Addressee in respect of this report and only accepts liability to the Addressee insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute.